

# THE STATE OF ALASKA

Department of Environmental Conservation  
Laboratory Certification Program

*Certification of Microbiological Analysis in Drinking Water*

## Lab/Cor, Inc

Seattle, Washington

WA00255

has complied with the provisions set forth in 18 AAC 80 and is hereby recognized by the Department of Environmental Conservation as Fully Certified for the methods and parameters as listed on the accompanying Scope of Accreditation.  
This certificate is effective **07/01/2019** and expires **06/30/2020** .

*Patryce D. McKinney*

Patryce D. McKinney, M.B.A  
State of Alaska Certification Authority



*Kelly A. Snyder*

Kelly Snyder, MPH  
SDWA Microbiology Certification Officer

**THE STATE OF ALASKA**  
**Department of Environmental Conservation**  
**Laboratory Certification Program**

**Scope of Accreditation**

**Expiration: 06/30/2020**

Lab/Cor, Inc WA00255  
 7619 6th Ave NW  
 Seattle, Washington 98117

is certified by the State of Alaska Department of Environmental Conservation, pursuant to 18 AAC 80, to perform analysis for the parameters listed below using the analytical methods indicated. Accreditation for all parameters is final unless indicated in a note. Accreditation is for the latest version of a method unless specified otherwise. EPA refers to the U.S. Environmental Protection Agency. SM refers to American Public Health Association publication, Standard Methods for the Examination of Water and Wastewater, 20<sup>th</sup>, 21<sup>st</sup>, or 22<sup>nd</sup> edition unless otherwise noted. ASTM refers to the American Society for Testing and Materials.

**Drinking Water Microbiology**

Method/Test Name	Reference	Analyte	Status
9223 B Colilert MPN	SM	E. coli	Fully Certified
9223 B Colilert MPN	SM	Total Coliform	Fully Certified
9223 B Colilert PA	SM	E. coli	Fully Certified
9223 B Colilert PA	SM	Total Coliform	Fully Certified
9223 B Colilert-18 MPN	SM	E. coli	Fully Certified
9223 B Colilert-18 MPN	SM	Total Coliform	Fully Certified
9223 B Colilert-18 PA	SM	E. coli	Fully Certified
9223 B Colilert-18 PA	SM	Total Coliform	Fully Certified
1623	EPA	Cryptosporidium	Fully Certified
1623	EPA	Giardia	Fully Certified